
YALE UNIV NEW HAVEN CONN DEPT OF CHEMISTRY ENERGIES AND CONFORMATIONS OF MOLECULES. (U) AUG 76 K B WIBERG AD-A037 669 F/G 7/4 · AF-AFOSR-2239-72 UNCLASSIFIED | OF | ADA037669 END DATE FILMED 4-77





Final Technical Report to the 1 Feb 72-31 Aug 76

P 31 Aug 76]

39p.

Kenneth B. Wiberg
Department of Chemistry
Yale University
New Haven, Conn. 06520

Approved for public release; distribution unlimited.

Energies and Conformations of Molecules

Mar 31.27 Ell

Period covered: Feb. 1, 1972 - Aug. 31, 1976

15) AF - AFOSR 12-2239-72 16 9538 (2002)

DE FILE CO

382 475

mt

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)
NOTICE OF TRANSMITTAL TO DDC
This technical report has been reviewed and is
approved for public release IAW AFR 190-12 (7b).
Distribution is unlimited.
A. D. BLOSE
Technical Information Officer

1.1.

Completed Project Summary

Abstract:

Energies and conformations of molecules were investigated in several different ways. The effect of angular distortion was studied by <u>ab initio</u> calculations of the energies of variously distorted methanes. The results could be related to the deformation energies found in small ring compounds. The photoelectron spectra of a series of cycloalkenes and methylenecycloalkanes were studied and the ionization potentials compared with the results of <u>ab initio</u> calculations. A remarkably good linear relationship was found, from which information on the reorganization energy and change in correlation energy on going to the ions could be derived.

Vibrational intensities in ethylene and related molecules were examined and led to information on the magnitudes of bond dipoles, and to charge distributions. Again, comparison with <u>ab initio</u> calculations provided the key to understanding the intensities.

The ultraviolet spectrum of bicyclobutane and of various deuterium substituted derivatives was examined. The high resolution spectrum of the first transition permitted us to determine the equilibrium geometry of this state.

An automated calorimetric system was developed. The heats of isomerization of quadricyclane, tricyclo[4.1.0.0^{2,7}] octane and benzvalene were determined.



Results

- 1. Deformation Energies It is important to learn how and why energies of molecules change when distorted. This has been studied by calculating (ab initio) the change in energy of methane for several deformation modes. 1, 3 The principal component of the energy change was nuclear repulsion. The results were used to estimate the distortion energies of a series of small ring compounds, and gave generally good results.
- 2. Photoelectron Spectra The principal experimental tool for obtaining molecular orbital energies is photoelectron spectroscopy. Both the HeI and HeII spectra for a series of cycloalkenes and methylenecycloalkanes were obtained. 4,7 The mo energy levels were calculated and compared with the ionization potentials. A good linear relationship was found. This permitted us to determine how the reorganization energy and the change in correlation energy on going to the ion change as a function of the mo energy.
- 3. Ultraviolet Spectra The medium resolution spectrum of bicyclobutane and of several of its deuterium labeled derivatives was obtained, and the high resolution spectrum of the first electronic transition also was obtained. 11, 12 An analysis of the latter showed that the equilibrium excited state was planar and "kite" shaped. The infrared spectrum of bicyclobutane also was studied and a vibrational assignment and normal coordinate analysis was carried out. These data made it possible to analyze the ultraviolet spectrum.
 - 4. Vibrational Intensities The reason for the difference in intensity

of the ir active bending modes in ethylene was studied using <u>ab initio</u> calculations. It was found that contrary to common belief, the out-of-plane mode involved no rehybridization. We were able to derive the C-H bond dipole and to explain the lower intensities of the other bending modes. Application of this model to other systems made it possible to obtain C-H bond dipoles for a variety of systems. The μ_{CH} values were linearly related to % s character of the nmr $J_{^{13}C-H}$. Further development of this model should permit the routine calculation of charge distributions and of the intensities of the ir bands in any hydrocarbon.

5. Calorimetric Studies We have developed an automated calorimeter using a quartz thermometer as the sensing element and a minicomputer as the data collection device. Calorimetric studies were made of the metal catalyzed isomerizations of quadricyclane, tricyclo[4.1.0.0^{2,7}] heptane (a bicyclobutane derivative) and benzvalene. These data are useful for obtaining heats of formation, and in the case of benzvalene, it gave important data concerning the mechanism of the thermal rearrangement to benzene.

Personnel

G. Barney Ellison

Kevin S. Peters

John J. Wendoloski

Helen A. Connon

Publications:

- 1. "Distorted Geometries at Carbon". K. B. Wiberg and G. B. Ellison, Tetrahedron, 30, 1573 (1974).
- "Calorimetric Data Collection Using Computers". K. B. Wiberg,
 Computers & Chemistry, 1, 64 (1976).
- "Electronic States of Organic Molecules. 1. Potential Functions for the Deformation of Methane." K. B. Wiberg, G. B. Ellison and J. J. Wendoloski, J. Am. Chem. Soc., 98, 1212 (1976).
- "Correlation between Ionization Potentials and MO Energy Levels."
 K. B. Wiberg, G. B. Ellison, C. R. Brundle and N. A. Kuebler,
 Chem. Phys. Lett., 41, 37 (1976).
- of Tricyclo[4.1.0.0^{2,7}] heptane." K.B. Wiberg and H.A. Connon,
 J.Am. Chem. Soc., 98, 5411 (1976).
- 6. "Electronic States of Organic Molecules. 2. Vibrational Intensities for Ethylene." K. B. Wiberg and J. J. Wendoloski, J. Am. Chem. Soc., 98, 5465 (1976).
- of Cycloalkenes and Methylenecycloalkanes." K. B. Wiberg, G. B. Ellison, J. J. Wendoloski, C. R. Brundle and N. A. Kuebler, J. Am. Chem. Soc., 98, 7179 (1976).
- 8. "Kinetics and Thermochemistry of the Rearrangement of Benzvalene to Benzene. An Energy Sufficient but Non-Chemiluminescent Reaction."

 N. J. Turro, C. A. Renner, T. J. Katz, K. B. Wiberg and H. A. Connon,

 Tetrahedron Letters, 4133 (1976).

- 9. "Infrared Intensities. Derivation of C-H Bond Moments from Out-of-Plane Bending Modes." K. B. Wiberg and J. J. Wendoloski, Chem.

 Phys. Lett., in press.
- 10. "Vibrational Spectrum of Bicyclo[1.1.0] butane." K. B. Wiberg and K. S. Peters, Spectrochim. Acta, in press.
- 11. "Electronic States of Organic Molecules. 4. Ultraviolet Spectrum of Bicyclobutane." K. B. Wiberg, G. B. Ellison and K. S. Peters, J. Am. Chem. Soc., in press.
- 12. "Electronic States of Organic Molecules. 5. High Resolution Spectrum of the A State of Bicyclobutane." K. B. Wiberg, K. S. Peters, G. B. Ellison and F. Alberti, J. Am. Chem. Soc., in press.
- 13. "Rydberg States of Butadiene." K. B. Wiberg, K. S. Peters, G. B. Ellison and J. L. Dehmer, submitted to J. Chem. Phys.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
	3. RECIPIENT'S CATALOG NUMBER
ALOSE - 18 - 77 2 0188	
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED
ENERGIES AND CONFORMATIONS OF MOLECULES	Final, 1 Feb 72 - 31 Aug 76
	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)	8. CONTRACT OR GRANT NUMBER(s)
Kenneth B. Wiberg	AFOSR-72-2239
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Department of Chemistry	9538-02, 61102F
Yale University	3330-02, 011021
New Haven, Connecticut 06520	
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
AF Office of Scientific Research/NC	December 1976
Bolling AFB, DC 20332	13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)	15. SECURITY CLASS. (of this report)
	Man land 64 d
	Unclassified 15a. DECLASSIFICATION/DOWNGRADING
	SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)	
Approved for public release; distribution unlimited.	
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)	
18. SUPPLEMENTARY NOTES	
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)	
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)	
Energies and conformations of molecules were investigated in several different	
ways. The effect of angular distortion was studied by ab initio calculations of	
the energies of variously distorted methanes. The results could be related to	
the deformation energies found in small ring compounds. The photoelectron spectra	
of a series of cycloalkenes and methylenecycloalkanes were studied and the	
ionization potentials compared with the results of ab initio calculations. A	
remarkably good linear relationship was found, from which information on the reorganization energy and change in correlation energy on going to the ions could	

29. Abstract

be derived. Vibrational intensities in ethylene and related molecules were examined and led to information on the magnitudes of bond dipoles, and to charge distributions. Again, comparison with ab initio calculations provided the key to understanding the intensities. The ultraviolet spectrum of bicyclobutane and of various deuterium substituted derivatives was examined. The high resolution spectrum of the first transition permitted us to determine the equilibrium geometry of this state. An automated calorimetric system was developed. The heats of isomerization of quadricyclane, tricyclooctane and benzvalene were determined.

* the determination of